

## SMAL ALUMINIUMSPROFIL

LedLys AS fører et utvalg av aluminiumsprofiler til LED strips.  
Begton 12 er lavtbyggende profil med max bredde på led strips på 12 mm.




Produkt Nr	Produkt	Ytter mål mm (BxH)	Indre mål mm (BxD)
430440	Alu profil Begton12 Aluminium 2mtr m/opal front	14,4 X 6,6	12,6 X 5,5
430441	Alu profil Begton12 Sort 2mtr m/opal front	14,4 X 6,6	12,6 X 5,5
430442	Alu profil Begton12 Hvit 2mtr m/opal front	14,4 X 6,6	12,6 X 5,5



### Tilleggsutstyr:



430440A	Endestykker Begton12 Aluminium 2pk		
430441S	Endestykker Begton12 Sort 2pk		
430442H	Endestykker Begton12 Hvit 2pk		
430450	Monteringsfester justerbare Stål 5pk		
430451	Monteringsfester justerbare Sort 5pk		
430452	Monteringsfester justerbare Hvit 5pk		
430453	Monteringsfester Stål 5pk		
430454	Monteringsfester Sort 5pk		
430455	Monteringsfester Hvit 5pk		



- J** slide cover
- C** click cover
- C\*** BEGTON12 C ending for C click cover
- S<sup>1</sup>** S flexible mounting plate
- S<sup>2</sup>** cone S flexible mounting plate



	INDEX = 1 pc, length 2000 mm package > check the pricelist
	white painted <b>C7020001</b>
	anodized <b>C7020020</b>
	black anodized <b>C7020021</b>

-  max 12 mm
-  surface


Available lengths: 1000 mm, 2000 mm, 3000 mm, 4000 mm.  
The standard profile length tolerance is +20 mm.  
More details >> 1.08.

## COVERS

**J** slide cover  
 colours: transparent, frosted, opal  
 material: PC, PP, PP



**Note!** Dimensions of the space to install LED source



length 2000 mm  
 package > check the pricelist

**J** transparent  
 index = 10 pcs  
**70330016**


**J** frosted  
 index = 10 pcs  
**70330039**

**J** opal /  
**70330038**

The standard cover length tolerance is +20 mm.  
 More details >> 1.08.


## ENDINGS

**BEGTON12** ending  
 colours: white, silver, black, grey  
 material: ABS



Ending with marked space to bore the holes.

**BEGTON12 C** ending  
 colours: white, silver, black, grey  
 material: ABS




INDEX = 10 sets = 20 pcs  
 package > check the pricelist

white  
**C7960001**  
 silver  
**C7960040**  
 black  
**C7960002**  
 grey  
**C7960022**


white  
**C7940001**  
 silver  
**C7940040**  
 black  
**C7940002**  
 grey  
**C7940022**

## MOUNTINGS

**S** flexible mounting plate  
 colours: white, inox, black  
 material: stainless steel



cone **S** flexible mounting plate  
 colours: white, inox, black  
 material: stainless steel



INDEX = 10 sets = 20 pcs  
 package > check the pricelist

white  
**C7980001**  
 inox  
**C7980019**  
 black  
**C7980002**

white  
**C7950001**  
 inox  
**C7950019**  
 black  
**C7950002**

## SMAL ALUMINIUMSPROFILER FOR INNFELLING

**LedLys AS fører et utvalg av aluminiumsprofiler til LED strips.**

**Cabi12** er en slank hjørneprofil med rett glass.

2 lysvinkler, 30 eller 60 grader.

Egen kanal for framføring av kabel i bunnen av kanalen.

Egner seg godt i klesskap, som hjørnelist med belysning i vanlige rom og for montering under overskap i kjøkkenløsninger. Kan også brukes utenpå fotlist på kjøkkeninnredninger for å få lys på gulvet.

Og kan gjerdes sammen for å danne en ramme rundt speil på badet.

Skrus eller limes fast i hjørner.

Utmerket også til innfelling i tak og vegg.

Med max bredde på led strips på 12 mm.




### BEGT1N12




Produkt Nr	Produkt	Ytter mål mm (BxH)	Indre mål mm (BxD)
430443	Alu.profil m/flens Begtin12 <b>Aluminium</b> 2m, m/opal front	21,3 (14,4) X 6,6	12,6 X 5,5
430444	Alu.profil m/flens Begtin12 <b>Sort</b> 2m, m/opal front	21,3 (14,4) X 6,6	12,6 X 5,5
430445	Alu.profil m/flens Begtin12 <b>Hvit</b> 2m, m/opal front	21,3 (14,4) X 6,6	12,6 X 5,5

### Tilleggsutstyr:

430443A	Endestykker Begtin12 Aluminium 2pk		
430444S	Endestykker Begtin12 Sort 2pk		
430445H	Endestykker Begtin12 Hvit 2pk		
430450	Monteringsfester justerbare Stål 5pk		
430451	Monteringsfester justerbare Sort 5pk		
430452	Monteringsfester justerbare Hvit 5pk		
430453	Monteringsfester Stål 5pk		
430454	Monteringsfester Sort 5pk		
430455	Monteringsfester Hvit 5pk		



-  **J** slide cover
-  **S**<sup>1</sup> flexible mounting plate
-  **S**<sup>2</sup> cone **S** flexible mounting plate



INDEX = 1 pc, length 2000 mm  
package > check the pricelist

white painted  
biały malowany  
C8020001



anodized  
anodowany  
C8020020



black anodized  
czarny anodowany  
C8020021



max 12 mm



recessed  
wpustowy


Available lengths: 1000 mm, 2000 mm, 3000 mm, 4000 mm.  
The standard profile length tolerance is +20 mm.  
More details >> 1.08.

## COVERS

**J** slide cover  
 colours: transparent, frosted, opal  
 material: PC, PP, PP



**Note!** Dimensions of the space to install LED source



length 2000 mm  
 package > check the pricelist

**J** transparent /  
 index = 10 pcs / i d- s - 10 s t  
**70330016**


**J** frosted / **J** szron  
 index = 10 pcs / indeks = 10 szt.  
**70330039**

**J** opal / **J** mleczny  
 index = 10 pcs / indeks = 10 szt.  
**70330038**


The standard cover length tolerance is +20 mm.  
 More details >> 1.08.

## ENDINGS

**BEGTIN12 ending gen2 with hole**  
 colours: white, silver, black, grey  
 material: ABS



**BEGTIN12 ending gen2 SQ with hole**  
 colours: white, silver, black, grey  
 material: ABS




INDEX = 10 sets = 20 pcs  
 package > check the pricelist

white /  
**C8980001**  
 silver /  
**C8980040**  
 black /  
**C8980002**  
 grey /  
**C8980022**


white  
**C8970001**  
 silver  
**C8970040**  
 black  
**C8970002**  
 grey  
**C8970022**

## MOUNTINGS

**S** flexible mounting plate  
 colours: white, inox, black  
 material: stainless steel



cone **S** flexible mounting plate  
 colours: white, inox, black  
 material: stainless steel



INDEX = 10 sets = 20 pcs  
 package > check the pricelist

white  
**C7980001**  
 inox  
**C7980019**  
 black  
**C7980002**

white / biały  
**C7950001**  
 inox  
**C7950019**  
 black / czarny  
**C7950002**

## EN HJØRNEPROFIL FOR MAKSIMUM BELYSNING VERTIKAL OG HORIZONTAL

**LedLys AS** fører et utvalg av aluminiumsprofiler til LED strips.

Utmerket også til innfelling i tak og vegg.

2 lysvinkler, 30 eller 60 grader.

**CABI12** ER EN Smal profil på 16,5 X 16,5mm.

Festes uten holdere.


Kanal i bakkant for gjennomføring av kabler - maksimal LED-stripebredde: 12 mm

### CABI12




Produkt Nr	Produkt
430471	Alu profil Cabi12 <b>Aluminium</b> 2m m/opal front
430472	Alu profil Cabi12 <b>Sort</b> 2m m/opal front
430473	Alu profil Cabi12 <b>Hvit</b> 2m m/opal front

### Tilleggsutstyr:

430471A	Endestykker Cabi12 Aluminium 2pk
430472S	Endestykker Cabi12 Sort 2pk
430473H	Endestykker Cabi12 Hvit 2pk



**E** E slide cover



	INDEX = 1 pc. length 2000 mm package > check the pricelist
	white painted <b>C9020001</b>
	anodized <b>C9020020</b>
	black anodized <b>C9020021</b>

max 12 mm

corner

Available lengths: 1000 mm, 2000 mm.  
The standard profile length tolerance is +20 mm.  
More details >> 1.08.




## COVERS

**E slide cover**  
 colours: transparent, frosted, opal  
 material: PC, PP, PP



**Note!** Dimensions of the space to install LED source



length 2000 mm  
 package > check the pricelist

**E transparent**  
 index = 10 pcs  
**A2040016**


**E frosted**  
 index = 10 pcs  
**A2040039**

**E opal /**  
 index = 10 pcs  
**A2040038**

The standard cover length tolerance is +20 mm.  
 More details >> 1.08.

## ENDINGS

**CABI12 ending**  
 colours: white, silver, black, grey  
 material: ABS



INDEX = 10 sets = 20 pcs  
 package > check the pricelist

white  
**C9980001**


silver  
**C9980040**

black  
**C9980002**

grey  
**C9980022**



Ending with marked space to bore the holes.



#### INVISIBLE WIRES

Special channel to hide the wires allows to remain esthetic look of the showcase.



#### EQUAL SIDE LENGTHS

The symmetrical profile design allows precise connections in a different configurations.

## ET DOBBEL FUNSJONELL LED LYS FOR GARDEROBE

### LedLys AS fører et utvalg av aluminiumsprofiler til LED strips.


En Led profil for oppheng av klær og belysning i garderoben  
**OVAL20** har 3 monteringsalternativer: side-til-side, som en forlengelsesarm fra en side, som en forlengelsesarm fra toppen to installasjonsdybder av LEDstripes og velge mellom med en maksimal bredde på 20 mm

### OVAL20

Produkt Nr	Produkt
430475	Alu profil Oval20 Aluminium 2m m/opal front

### Tilleggsutstyr:




430476	Oval20 sideholder grå sett a 2 stk
430477	Oval20 forlengerarm enkel
430478	Oval20 forlengerarm dobbel
430479	Oval20 enkelholder



# OVAL 20 GARDEROBE LYS

**B** slide cover

**C** click cover



INDEX = 1 pc, length 2000 mm  
package > check the pricelist

anodized

92030020



Available lengths: 1000 mm, 2000 mm, 3000 mm, 4000 mm.  
The standard profile length tolerance is +20 mm.  
More details >> 1.08.



max 20 mm




special application  
specjalny

## COVERS


**B slide cover**  
 colours: transparent, frosted, opal  
 material: PC, PP, PP



**Note!** Dimensions of the space to install LED source



**C click cover**  
 colours: transparent, opal  
 material: PMMA



length 2000 mm  
 package > check the pricelist

**B transparent**  
 index = 10 pcs  
**76250016**

**B frosted**  
 index = 10 pcs  
**76250039**

**B opal**  
 index = 10 pcs  
**76250038**

**C transparent**  
 index = 1 pc  
**76330000**

**C opal**  
 index = 1 pc  
**76330038**


reel, length 20 m  
 package > check the pricelist

**C opal**  
 index = 1 pc  
**763600385**


The standard cover length tolerance is +20 mm.  
 More details >> 1.08.

## MOUNTINGS

**OVAL20 side holder**  
 colours: silver, grey  
 material: ABS



**OVAL20 single extension arm**  
 colour: silver  
 material: ABS, steel, aluminium




INDEX = 1 set  
 package > check the pricelist

silver /  
**92040040**  
 grey /  
**92040022**

silver  
**92980040**

## MOUNTINGS

**OVAL20 double extension arm**  
 colour: silver  
 material: ABS, steel, aluminium



INDEX = 1 set  
 package > check the pricelist

silver  
 92990040


**OVAL20 simple holder**  
 material: zinc coated steel



zinc coated  
 92070030

## LED MOUNTING

**OVAL20 LED mounting**  
 material: aluminium



INDEX = 1 pc, length 2000 mm  
 package > check the pricelist

raw aluminium  
 92100000



## LedLys AS fører et utvalg av aluminiumsprofiler til LED strips.

Aluprifil A2623-Halvrund er en profil som har mange bruksområder. Kanskje mest brukt som takbelysning som erstatning for tradisjonelle armaturer.

Monteres direkte i tak eller som nedhengt i wirer.

Ypperlig også for montasje direkte på vegg. Både vannrett og loddrett.

Produkt Nr	Produkt	Ytter mål mm (BxH)
430409	Aluprofil A2623-halvrund 2mtr m/opal front	25 X 27

